

<b>ANDRO</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Andro Classic (soft)	41	60	95		0,0
Andro LP-22 (trava)	63	85	75	Medium	0,0/1,0
Andro Upgrade	65	81	90	Soft	1,7
Andro Start	67	80	90	38	1,7
Andro Backside 35	70	105	95	35	1,3/1,5/1,8/2,1
Andro Trophy	76	82	90	43	1,8
Andro Backside 40	79	103	85	40	1,3/1,5/1,8/2,1
Andro Impuls	86	103	90	30	1,3/1,5/1,8/2,1
Andro Impuls Speed	89	105	94	Soft	1,8/2,0/2,2
Andro Plasma Women	93	103	93	Soft	1,8/2,0/max.
Andro Rocket Soft	95	99	89	Soft	1,6/1,8/2,0/max.
Andro Revolution Quad 420	96	104	90	Soft	1,6/1,8/2,0/max.
Andro Plasma 380	96	101	92	Soft	1,6/1,8/2,0/max.
Andro Rocket Medium	97	100	87	Medium	1,6/1,8/2,0/max.
Andro Revolution	98	97	75	40	1,5/1,8/2,1/max.
Andro Rocket Hard	99	102	85	42	1,6/1,8/2,0/max.
Andro Revolution Fire	100	97	70	45	1,8/2,1/max.
Andro Revolution Quad 450	102	104	80	Medium	1,8/2,0/max.
Andro Logo (soft)	105	80	75	30	1,5/1,8/2,1
Andro Plasma 430	105	103	80	Medium	1,8/2,0/max.
Andro Revolution Quad 480	108	104	70	Hard	1,8/2,0/max.
Andro Plasma 470	110	105	75	Hard	1,8/2,0/max.
Andro Roxon 450	112	106	78		1,8/2,0/max.
Andro Roxon 500 pro	115	107	75		1,8/2,0/max.
<b>ARMSTRONG</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Armstrong Twister (trava)	58	72	72		0,0/1,0
Armstrong New Chopper	70	98	100		1,0/1,5
Armstrong New Anti Spin (antispin)	75	55	90		1,5/2,0
Armstrong Attack 3 (soft)	83	90	100		0,0/1,0/1,5/2,0
Armstrong Hikari SR 7 40	86	100	100	40	1,0/1,5/1,8/2,1
Armstrong Hikari SR 7 55	90	99	98	55	1,5/1,8/2,1
Armstrong Rosin (soft)	91	81	90		1,5/1,8/2,0
Armstrong Seifuku SS 42	94	98	100	42	1,5/1,8/2,1
Armstrong Seifuku SS 50	97	98	99	50	1,5/1,8/2,1
<b>BUTTERFLY</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Butterfly Orthodox (soft)	43	58	80		0,0
Butterfly Feint OX (trava)	43	58	80		0,0
Butterfly Feint Long II OX (trava)	50	51	70		0,0
Butterfly Feint Long II (trava)	55	62	55		0,5/1,1/1,3
Butterfly Feint Long III OX (trava)	47	71	85		0,0
Butterfly Feint Long III (trava)	52	80	70		0,5/1,1/1,3
Butterfly Feint Soft (trava)	54	62	55		1,0/1,5
Butterfly Super Anti (antispin)	58	60	92		1,5/1,9

Butterfly Tackiness-C	62	105	90	32	1,1/1,3/1,5/1,7/1,9
Butterfly Tackiness Chop II	69	105	90	32	1,1/1,3/1,5/1,7/1,9
Butterfly Soft-D13	74	81	75		1,5/1,7/1,9/2,1
Butterfly Tackiness-D	77	102	80	35	1,3/1,5/1,7/1,9/2,1
Butterfly Feint AG (trava)	78	86	85		1,3/1,7
Butterfly Tackifire C	81	106	85		1,7/1,9/2,1
Butterfly Sriver FX	92	94	81	38	1,5/1,7/1,9/2,1/max.
Butterfly Sriver EL	93	95	80	40	1,7/1,9/2,1/max.
Butterfly Sriver-S	93	94	75	43	1,5/1,7/1,9/2,1
Butterfly Sriver-L	93	94	75	42	1,3/1,5/1,7/1,9/2,1/max
Butterfly Solcion	95	96	80	38	1,7/1,9/2,1
Butterfly Bryce FX	96	97	73	38	1,9/2,1
Butterfly Challenger Attack (soft)	97	70	70		1,5/1,7/1,9/2,1
Butterfly Catapult	97	97	70	38	1,9/2,1/max.
Butterfly Sriver G2 FX	97	100	80	38	1,9/2,1/MAX
Butterfly Cermet	98	98	70	40	1,7/1,9/2,1
Butterfly Raystorm (soft)	98	78	80		1,7/1,9/2,1/max.
Butterfly Sriver G2	99	98	75	42	1,7/1,9/2,1/max.
Butterfly Bryce	100	97	65	44	1,9/2,1
Butterfly Tenergy 05	103	106	80		1,7/1,9/2,1
Butterfly Bryce FX Speed	104	104	78	44	1,9/2,1
Butterfly Bryce Speed	106	104	73	44	1,9/2,1
<b>DAWEI</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Dawei 388D (trava)	61	67	82	40-42	0,0/1,0
Dawei Saviga V (trava)	62	70	85	40-42	0,0/0,5/1,0
Dawei 388D-1 Quattro (trava)	70	70	80	40-42	0,5/1,0
Dawei 388A-4	85	88	83	43-45	1,5/2,0
Dawei Inspirit	94	95	85	43-45	1,8/2,0/2,2
Dawei Inspirit Quattro	97	96	87	40-42	1,8/2,0/2,2
<b>DHS</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
DHS Fog-3 (trava)	67	87	53		0,0/1,0
DHS C-7 (trava)	70	60	55		0,0/1,0
DHS Skyline-2	93	105	90		1,5/1,8/2,0/2,2
DHS PF4	94	99	75		1,5/2,0
DHS Skyline-3	96	102	90		1,5/1,8/2,0/2,2
DHS Hurricane III	96	99	80		1,5/1,8/2,0/2,2
DHS Hurricane II	97	98	70		1,5/1,8/2,0/2,2
DHS Dipper	97	100	80		1,8/2,0/2,2
DHS 652 (soft)	102	75	70		1,5/2,0
<b>DONIC</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Donic Alligator Def. (trava)	48	55	90		0.0/0,5/1,0
Donic Akkadi L2 (trava)	53	90	81		0,0/0,6/1,0
Donic Anti A 40 (antispin)	60	65	85	Soft	1,5/2,0
Donic Piranja Formula TEC (trava)	61	76	74	Medium	0,0/1,2

Donic Twister (medium)	67	64	65	Soft	1,5
Donic Liga	78	85	85	Medium	1,8
Donic Slice 40	79	103	96	40	1,2/1,5
Donic Quattro A' Conda Soft	83	100	95	Soft	1,2/1,5/1,8
Donic Quattro A' Conda Medium	87	100	91	Medium-	1,2/1,5/1,8/2,0
Donic Quattro	92	100	88	Soft	1,5/1,8/2,0
Donic Coppa Tenero	93	96	75	38	1,2/1,5/1,8/2,1/max.
Donic Baxster D 25 (soft)	93	77	65	Soft	1,9
Donic Vario Soft	93	96	70	40	1,2/1,5/1,8/2,0/max.
Donic Quattro Formula	94	100	91	Soft	1,8/2,0/max.
Donic Coppa Tagora	94	96	75	45	1,5/1,8/2,1/max.
Donic Gallardo Sound	96	99	84	40	1,8/2,0/max.
Donic Desto F3 Big Slam	96	101	88	Soft	1,8/2,0/max.
Donic Coppa	96	96	70	45	1,1/1,5/1,8/2,1/max.
Donic Vario Cooper-S	96	99	77	40	1,5/1,8/2,0/max.
Donic Vario	96	96	65	42	1,2/1,5/1,8/2,0/max.
Donic Gallardo Power Sound	96	100	80	Soft+	1,8/2,0/max.
Donic Desto F-3	97	100	83	38	1,8/2,0/max.
Donic J.O.Waldner	97	95	65	42	1,5/1,8/2,0/max.
Donic Sonex Forumula JP Soft	97	102	81	Soft+	1,8/2,0/max.
Donic Coppa J.O.	97	99	82	Medium	1,8/2,0/max.
Donic Desto F2	100	100	78	40	1,8/2,0/max.
Donic Baxster F1-A (soft)	100	75	70	Medium	1,8/2,0
Donic Sonex Forumula JP	100	102	80	Medium+	1,8/2,0/max.
Donic Desto F-1	103	100	73	50	1,8/2,0/max.
Donic Coppa J.O. Silver	104	102	80	Soft+	1,8/2,0/max.
Donic Desto F1-HS	105	97	64	Hard	1,8/2,0/max.
Donic Sonex JP Gold	105	102	79	Medium-	1,8/2,0/max.
Donic Coppa J.O. Gold	106	100	78	Medium	1,8/2,0/max.
Donic Coppa J.O. Platin Soft	107	104	78		1,8/2,0/max.
Donic Coppa J.O. Platin	109	104	77		1,8/2,0/max.
<b>DR.NEUBAUER</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Dr.Neubauer Boomerang Classic (trava)	50	68	91		0,0/0,6/1,0
Dr.Neubauer Special Defence	72	92	98		1,0/1,2/1,5
Dr.Neubauer Monster Classic (trava)	75	65	85		1,0/1,6/2,0
Dr.Neubauer Gorilla (antispin)	75	50	100		0,6/1,0/1,3
Dr.Neubauer Grizzly (antispin)	77	50	95		1,0/1,6/2,0
Dr.Neubauer Leopard (soft)	88	78	80	43-45	0,0/1,0/1,5/2,0
Dr.Neubauer Diamant (medium)	90	76	78		1,2/1,5/1,8/2,1
Dr.Neubauer Domination	95	100	78		1,2/1,5/1,8/2,1
Dr.Neubauer Tornado Ultra (soft)	102	86	72	34-36	1,5/2,0
Dr.Neubauer Pistol (soft)	104	82	90		1,0/1,6/2,0
Dr.Neubauer Goliath	108	96	74		1,5/1,8/2,1
<b>FRIENDSHIP</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	

Friendship 804 HGS (antispin)	50	47	85	40-42	1,5/2,0
Friendship 755 (trava)	51	53	70	43-45	0,0/1,0
Friendship 837 OX (trava)	53	58	65		0,0
Friendship 837 (trava)	69	58	60	43-45	0,6/1,0
Friendship Dr.Evil (soft)	70	80	85		0,0
Friendship 563-1 HGS (medium)	70	58	77	44-48	1,5/2,0
Friendship 563 (medium)	72	64	75	43-45	1,5/2,0
Friendship Super FX (CS)	88	96	92	43-45	1,5/2,0
Friendship FX Super Soft	90	96	92	34-36	1,2/1,5/2,0
Friendship Geospin Tacky	90	100	95	43-45	1,5/1,8/2,0/2,2
Friendship RITC	90	94	90	43-45	1,0/1,5/2,0
Friendship 2000 HGS	90	90	90	44-48	1,5/2,0
Friendship 2000 Red Magic sponge	92	92	92		2,0
Friendship GeoSpin	94	90	90	43-45	1,5/1,8/2,0/2,2
Friendship 729-2	94	90	90	44-48	1,5/1,8/2,0
Friendship SST Cross	96	92	90	43-45	1,5/1,8/2,0/2,2
Friendship 729-3	96	90	90		2,0/2,2
Friendship 802 (soft)	96	60	85	43-45	1,5/2,0
Friendship 799 (soft)	96	60	90	43-45	1,5/2,0
Friendship Focus I	98	105	95	43-45	1,5/1,8/2,0/2,2
Friendship Higher Transcend	98	102	90	43-45	1,5/1,8/2,0/2,2
Friendship SP Transcend	102	105	95	46-48	2,0/2,2
Friendship 729-2 Leopard	102	90	96	43-45	2,0
Friendship Faster	103	102	100	40-42	2,2
Friendship High Point	104	102	100	40-42	2,0/2,2
<b>GLOBE</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Globe 979 (trava)	55	50	65	37-39	0,0/1,0
Globe 999 Soft	80	99	88	37-39	1,0/1,5/2,0
Globe 999	85	95	83	43-45	1,0/1,5/2,0
Globe 999T-Soft	90	97	90	37-39	1,5/2,0
Globe 999T-Hard	92	95	88	43-45	1,5/2,0
<b>GOLDWAY</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Goldway S968 (antispin)	65	44	92		1,5/2,0
Goldway 916	87	87	85		1,5/2,0
Goldway 899	87	94	82		1,5/2,0
Goldway F-933 (soft)	90	72	79		1,0/1,5/2,0
Goldway S9	97	93	80		1,5/2,0
<b>HALLMARK</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Hallmark Mirage (antispin)	65	40	100		1,0/2,0
Hallmark Phoenix (trava)	75	45	98		0,0/1,0/2,0
Hallmark Frustration (trava)	85	89	90		0,0/1,0/1,5/2,0
Hallmark Panther (medium)	89	68	85		0,0/1,0/1,5/2,0
Hallmark Half-Long (medium)	91	74	80		0,0/1,0/1,5/2,0
Hallmark Magic Pips (soft)	95	86	75	46-48	0,0/1,0/1,5/2,0

Hallmark Power Spin	91	96	90		1,0/1,5/2,1
Hallmark Green Power	100	97	98		1,5/1,8/2,1/max.
<b>JOOLA</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Joola Amigo (soft)	40	60	95		0,0
Joola T.Hold Antispin (antispin)	44	50	95	40	1,5/2,5
Joola Orca (trava)	65	85	82		0,0/0,5/1,0
Joola Shark (trava)	67	88	80		0,0/0,5/1,0
Joola Octopus (trava)	69	75	78	50	0,0/0,5/1,2
Joola Tango Defensive	70	98	90	40	1,2
Joola 4 All	80	85	87	43	1,5/1,8
Joola 4 You	82	87	88	40	1,5/1,8/2,0
Joola Topspin C	86	100	92	38	1,2/1,5/1,8/2,0
Joola Top Spin	92	100	86	36	1,8/2,0
Joola Drum CWX	92	98	85	41	2,0/max.
Joola Samba	94	97	84	38	1,5/1,8/2,0/max.
Joola Amigo (soft)	95	70	70	45	1,8/2,0
Joola Spring Thunder	95	95	84	40	1,6/2,0/max.
Joola Mambo	95	97	82	40	1,5/1,8/2,0/max.
Joola Drum	95	96	70	50	1,8/2,0/max.
Joola Samba Ntec	96	99	87	38	1,8/2,0/max.
Joola Orbit ICU	96	97	82	40	1,8/2,0/max.
Joola Mambo-H	96	100	84	42,5	1,8/2,0/max.
Joola Snabb (soft)	98	89	83	40	1,5/1,8/2,0/max.
Joola Tango	98	97	75	40	1,5/1,8/2,1/max.
Joola Air Rosnet	98	98	70	40	1,5/1,8/2,1/max.
Joola Mambo-C	98	97	80	45	1,5/1,8/2,1/max.
Joola Tango Extrem	100	97	70	45	1,8/2,0/max.
Joola Energy X-tra	100	104	86	37,5	1,8/2,0/max.
Joola Energy Green Power	102	103	82	42,5	1,8/2,0/max.
Joola Mambo GP	105	102	79	40	1,8/2,0/max.
Joola Express Two	109	105	78		1,8/2,0/max.
Joola Express One	113	106	74		1,8/2,0/max.
<b>JUIC</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Juic Neo Anti (antispin)	63	36	100		1,0/1,5/2,0
Juic Spin Spiel	75	100	99		1,0/1,5/2,0
Juic 999-Elite Defense	85	100	100	36	1,0
Juic Masterspin Special (medium)	85	70	85		1,5/1,8/2,0/max.
Juic Spintex	89	100	97		1,0/1,5/2,0
Juic 999-Elite	92	100	100	40	1,5/1,8/2,0/max.
Juic Offense (soft)	93	90	100		1,0/1,5/2,0
Juic Driva Smash SV	95	96	99		1,8/2,0/max.
Juic Driva Smash Super Soft	96	98	96	40	1,8/2,1/max.
Juic Driva Smash	96	96	96		1,8/2,0/max.
Juic Offense Ultima (soft)	96	87	88		1,0/1,5/2,0

Juic Varites	101	100	92		1,8/2,0/max.
Juic Shenron	102	100	90		1,8/2,0/max.
Juic Couga	108	100	93		1,0/1,5/1,8/2,0/2,3
<b>METEOR</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Meteor L-8512 Defensive (trava)	58	50	60	34-36	0,0/0,5/1,0
Meteor 835 (antispin)	64	40	90	34-36	1,5/2,0
Meteor L-8512 Offensive (trava)	69	50	55	46-48	0,5/1,0/1,5/2,0
Meteor 9012 (medium)	70	58	75	46-48	0,0/1,0/1,5/2,0
Meteor 575 (medium)	70	80	82	46-48	1,0/1,5/2,0
Meteor 835-W (antispin)	74	40	88	46-48	1,5/2,0
Meteor 813	82	97	85	40-42	1,5/2,0
Meteor 813-W	88	93	81	46-48	1,5/2,0
Meteor 71-2 (soft)	94	58	82	46-48	1,5/2,0
Meteor 71-1 (soft)	98	68	78	46-48	1,0/1,5/2,0
<b>NITTAKU</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Nittaku Best Anti	65	58	92		1,3/1,6/2,0
Nittaku Magic Carbon	94	94	70	45	1,3/1,6/1,8/2,0/max.
Nittaku Hammond	95	96	74	Soft	1,6/2,0/2,2
Nittaku Hammond Pro Alpha	96	95	72	42	1,6/2,0/2,2
Nittaku Hammond-X	97	99	88	Medium	1,6/2,0/2,2
Nittaku Hammomd FA (soft)	100	70	75	Hard	1,6/2,0/2,2
<b>PALIO</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Palio CK5631A (trava)	55	78	72	40-42	0,0/1,0
Palio WP1013 (medium)	69	80	80	40-42	1,5/1,8
Palio Amigo	88	94	88	41-45	1,8/2,0/2,3
Palio Cj8000 Spin	91	97	84	36-38	1,5/1,8/2,1
Palio Hadou	93	96	83	42-44	1,8/2,0/2,3
Palio Cj8000 Balance	94	93	82	38-40	1,6/2,2
Palio Cj8000 Speed	98	92	80	42-44	1,7/2,3
<b>STIGA</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Stiga Destroyer (trava)	59	63	65	Soft	0,0/1,0/1,5
Stiga Energy Absorber (antispin)	65	45	95	Soft	1,6/2,0
Stiga Chop & Drive	83	95	85	32	1,1/1,5/1,8
Stiga Evo	85	85	85	Medium	1,8
Stiga Carbo M/C	90	88	84	Soft	1,8/2,0/2,3
Stiga Mendo Energy	92	95	70	38	1,8/2,0/max.
Stiga Mendo	93	90	75	42	1,5/1,8/2,0/max.
Stiga Radical ACS (soft)	93	90	77	Medium	1,8/2,0/2,2
Stiga Neos Tacky	93	100	80	37	1,5/1,8/2,0/2,3
Stiga Royal (soft)	93	87	75	Medium	1,5/1,8/2,0
Stiga Mendo MP	94	93	70	Medium	1,8/2,0/max.
Stiga Innova Ultra Light ACS	94	95	70	37	1,8/2,0/2,3
Stiga Innova Premium ACS	94	103	65	40	2,0/2,2/2,4/2,6
Stiga Innova ACS	95	96	70	42	1,8/2,0/max.

Stiga Magna	95	99	84	43	1,8/2,0/2,2
Stiga Innova Ultra Light Synergy Tech	96	95	70	Soft	1,8/2,0/max.
Stiga Neos Sound ACS	96	97	75	38	1,8/2,0/2,3
Stiga Boost TC	96	100	85		1,8/2,0/2,3
Stiga Neos ACS	98	97	75	42	1,8/2,0/2,3
Stiga Carbo Sound	98	97	75	40	1,8/2,0/2,3
Stiga Carbo	99	97	78	43	1,8/2,0/2,3
Stiga Neos Sound Synergy Tech	99	97	80	Soft	1,8/2,0/max.
Stiga Neos Synergy Tech	100	97	82	Medium	1,8/2,0/max.
Stiga Alman Sound	101	98	85	38	1,8/2,0/2,3
Stiga Alman	102	98	83	40	1,8/2,0/2,3
Stiga Boost TP	101	100	80		1,8/2,0/2,3
Stiga Optimum MP	103	99	80	Medium	1,8/2,0/2,3
Stiga Alman Sound Energy Tech	105	98	80	Soft	1,8/2,0/max.
<b>TIBHAR</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Tibhar Grass Extra Long (trava)	37	58	70	35	0,0/1,5
Tibhar Grass D.TecS (trava)	45	85	75	47,5	0,0/1,2/1,6
Tibhar Ellen Defensive (antispin)	46	55	80	28	1,5/2,0
Tibhar Grass Defensive (trava)	51	63	65	35	0,0/1,0/1,5/2,0
Tibhar Grass Ultra (trava)	54	90	80		0,0/0,5/1,3
Tibhar Super Defence 40 Soft	60	105	98		1,3/1,6
Tibhar Ellen Offensive (antispin)	61	69	75	45	1,5/2,0
Tibhar Super Defence 40	64	105	95	45	0,5/0,9/1,3/1,6
Tibhar Grass Offensive (trava)	65	60	55	45	1,0/1,5/2,0
Tibhar Grass Flex (trava)	69	70	90		0,0/1,3/1,6
Tibhar Vari Spin	75	100	85	38	1,2/1,5/1,8/2,0/max.
Tibhar Vari Spin D.TecS	85	98	85	32,5	1,5/1,8/2,0
Tibhar Dang	86	97	80	50	1,5/2,0
Tibhar Legend	87	96	90	42,5	1,6/1,8/2,0/max.
Tibhar Speedy S/L	92	94	96	45	1,5/1,8/2,1
Tibhar Bungee	95	99	90	43	1,5/1,8/2,0/max.
Tibhar Speedy Spin	96	93	75	45	1,0/1,5/1,8/2,0/max.
Tibhar Rapid Soft	96	97	75	35	1,6/1,8/2,0/max.
Tibhar Rapid X-Press	96	102	85	45	1,6/1,8/2,0/max.
Tibhar Rapid	97	96	75	42,5	1,6/1,8/2,0/max.
Tibhar Speedy Spin Premium	97	98	65	42	1,5/1,8/2,0/max.
Tibhar Torpedo Soft	97	99	90	40	1,8/2,0/max.
Tibhar Speedy Soft (soft)	98	69	70	45	1,0/1,5/2,0
Tibhar Rookie D.TecS	98	97	70	35	1,8/2,0/max.
Tibhar Samurai	98	98	83	42,5	1,6/1,8/2,0/max.
Tibhar Nimbus Sound	98	97	70	32,5	1,8/2,0/max.
Tibhar Rapid D.TecS Soft	98	99	90	40	1,8/2,0/max.
Tibhar Nimbus Soft	100	99	85	37,5	1,8/2,0/max.
Tibhar Rapid D.TecS	100	97	65	45	1,8/2,0/max.

Tibhar Nimbus Medium	102	97	88		1,8/2,0/max.
Tibhar Torpedo	103	100	83	45	1,8/2,0/max.
Tibhar Nimbus	104	102	77	45	1,8/2,0/max.
Tibhar Speedy Soft D.TecS (soft)	105	80	75	32,5	1,5/2,0
Tibhar Sinus Alpha	105	105	79		1,8/2,0/max.
Tibhar Sinus	109	104	78		1,8/2,0/max.
<b>TSP</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
TSP Miracle (soft)	40	60	85		0,0
TSP Curl P-1-R OX (trava)	41	56	70		0,0
TSP Curl P-3 OX Alpha (trava)	42	52	80		0,0
TSP Curl P-1-R (trava)	52	61	70		0,5/1,0/1,5
TSP Curl P-3 Alpha-R (trava)	57	61	75		0,5/1,0/1,5
TSP Curl P2(trava)	68	68	65		0,0/0,5/1,0/1,5
TSP Triple Spin Chop	73	102	85	35	1,0
TSP UQ	75	98	85	38	1,0/1,5/2,0
TSP Milli Tall II	79	85	85		0,0/0,7/1,0/1,3
TSP L-Catcher (soft)	75	89	90		1,5/1,8/max.
TSP Super Spin Pips Chop (soft)	88	79	85		1,0/1,5
TSP Triple Spin	93	97	70	42	1,0/1,5/1,8/2,0/max.
TSP Super Spin Pips (soft)	93	75	72		1,0/1,5/2,0/max.
TSP X' s	94	96	70		1,5/2,0/max.
TSP Triple 21	95	98	70	40	1,5/2,0/max.
TSP X' S F-1 21	96	96	70		1,5/2,0/max.
TSP Actor	96	98	75	42	1,5/2,0/max.
TSP Super Spin Pips-21 (soft)	96	78	70		1,0/1,5/2,0/max.
TSP 730-21	97	102	75		1,5/2,0/max
TSP Brio	97	99	80	42	1,5/2,0/max.
TSP Tyranno (soft)	98	76	70		1,5/1,8/max.
TSP Real	98	98	70	48	1,5/2,0/max.
TSP T-Rex	98	99	85		1,5/2,0/max.
TSP Spectol (soft)	100	73	69		1,0/1,5/1,8/max.
TSP Bjorn	100	99	80		1,5/2,0/max.
TSP Spectol 21 (soft)	102	73	65		1,5/1,8/max.
TSP Brio Spark Sponge	102	100	75		1,5/2,0/max.
<b>YASAKA</b>	<b>T</b>	<b>E</b>	<b>C</b>	<b>H</b>	
Yasaka Phantom 012 (trava)	40	56	75		0,0
Yasaka Phantom 011 (trava)	51	63	70		1,0
Yasaka Anti Power (antispin)	51	60	75		2,0
Yasaka Original Extra HG	74	81	85		1,6/2,0
Yasaka Mark-V 30	92	96	73	30	2,0/max.
Yasaka Mark-V GPS	93	95	70	38	1,5/1,8/2,0/max.
Yasaka Do Up	94	96	75		2,0
Yasaka Fusion	94	99	78		2,0/max.
Yasaka Mark-V XS	95	99	72		1,8/2,0/max.



Yasaka Mark-V	96	95	65	48	1,5/1,8/2,0/max.
Yasaka Mark-V M2	97	97	65	50	2,0/max.
Yasaka V-Stage	97	97	71	48	2,0/max.
Yasaka New Era	97	99	68		2,0/max.
Yasaka X-Tend SG	100	97	65		2,0/max.
Yasaka X-Tend	100	97	65		2,0/max.
Yasaka X-Tend HS	104	100	79		1,8/2,0/max.
Yasaka Pryde	105	102	70		1,8/2,0/max.