







Firma	Art.-Nr.	Belag	€	Stärke mm	Seite	Eig-nung	Tempo	Kont-rolle	Effet	Schwamm-härte	
<b>GEWO</b> 	5688	<b>Return Chop</b>	32,90	1,1/1,3/1,5/1,7/1,9	45	DEF/AR	69	97	97	soft	
	5687	<b>Return Drive</b>	32,90	1,3/1,5/1,7/1,9/2,1	45	AR	85	96	96	soft+	
	4814	<b>Thunderball2</b>	22,90	1,5/1,8/2,1	42	AR	87	109	100	soft+	
	NEU 7219	<b>Return Pro</b>	32,90	1,6/1,8/2,0	45	AR+	89	99	102	medium	
	5184	<b>Target airTec L</b>	32,90	1,3/1,5/1,7/1,9/2,1/Max.	43	AR+	94	94	95	medium	
	3478	<b>nano S/Control</b>	39,90	1,2/1,6/1,8/2,0	44	AR+	92	105	100	soft+	
	1460	<b>Mega Flex Control</b>	31,90	1,0/1,3/1,5/1,8/2,0	42	AR/OF-	88	99	97	soft	
	NEU 7192	<b>nanoFlex FT40</b>	46,90	1,7/1,9/2,1	8	OF-	108	99	115	soft+	
	6491	<b>Flexxon Soft</b>	44,90	1,7/1,9/2,1	13	OF-	105	98	114	soft+	
	5185	<b>Target airTec FX</b>	32,90	1,5/1,7/1,9/2,1/Max.	43	OF-	95	94	94	medium-	
	5186	<b>ReflexX Soft</b>	43,90	1,8/2,0/2,2	21	OF-	106	104	108	soft	
	4812	<b>ReflexX sound</b>	43,90	1,8/2,0/2,2	20	OF-	107	100	108	medium	
	4354	<b>Stratos V2 sound</b>	42,90	1,8/2,0/2,3	39	OF-	106	100	105	soft	
	3906	<b>Proton XP 325 soft</b>	39,90	1,8/2,0/Max.	29	OF-	102	100	101	soft	
	5722	<b>Flexxon FX</b>	44,90	1,7/1,9/2,1	12	OF-	110	94	113	soft+	
	NEU 7193	<b>nanoFlex FT45</b>	46,90	1,9/2,1	9	OF	113	95	115	medium+	
	4813	<b>ReflexX speed</b>	43,90	1,8/2,0/2,2	20	OF	109	94	107	medium+/harc	
	4353	<b>Stratos V2 energy</b>	42,90	1,8/2,0/2,3	39	OF	108	95	107	medium	
	3907	<b>Proton XP 385 sound</b>	39,90	1,8/2,0/Max.	29	OF	104	98	103	soft+	
	3908	<b>Proton XP 450 turbo</b>	39,90	2,0/Max.	29	OF	108	94	105	medium+	
	NEU 7194	<b>nanoFlex FT48</b>	46,90	2,1	8/9	OF+	120	91	115	hard	
	5723	<b>Flexxon</b>	44,90	1,7/1,9/2,1	12	OF+	117	88	111	medium+	
	<b>STIGA</b> 	1326	<b>Chop &amp; Drive</b>	29,90	1,1/1,5/1,8	42	AR-	85	99	98	soft+
		1314	<b>Neos tacky</b>	33,90	1,5/1,8/2,0	42	AR+	90	99	99	medium
		NEU 7176	<b>Airoc S</b>	49,90	1,7/1,9/2,1	11	OF	103	94	100	soft+
		NEU 7177	<b>Airoc M</b>	49,90	1,7/1,9/2,1	11	OF	110	90	100	medium
		6245	<b>Calibra Tour S</b>	49,90	1,7/1,9/2,1	24	OF	108	99	105	soft
		5249	<b>Calibra LT Spin</b>	46,90	1,8/2,0/Max.	49	OF	105	97	104	medium
4794		<b>Magna TS II</b>	41,90	1,8/2,0/Max.	57	OF	104	101	103	medium	
4796		<b>Calibra LT Sound</b>	46,90	1,8/2,0/Max.	24	OF	105	96	103	medium-	
4209		<b>Boost TS</b>	39,90	1,8/2,0/Max.	41	OF	102	98	100	soft	
3897		<b>Boost TC</b>	39,90	1,8/2,0/Max.	41	OF	100	95	100	soft+	
3896		<b>Boost TP</b>	39,90	1,8/2,0/Max.	41	OF	102	93	102	medium	
3300		<b>Neos Sound Synergy Tech</b>	35,90	1,8/2,0/2,3	OLS	OF	100	96	100+	medium-	
3302		<b>Innova ultra light Synergy Tech</b>	35,90	1,8/2,0/2,3	OLS	OF	99	96	99	medium-	
1321		<b>Mendo</b>	26,90	1,5/1,8/2,0/Max.	49	OF	93	90	92	medium	
1325		<b>Mendo Energy</b>	26,90	1,8/2,0/Max.	49	OF	99	96	98	medium -	
6244		<b>Calibra Tour M</b>	49,90	1,7/1,9/2,1	24	OF+	108	98	105	medium	
6243		<b>Calibra Tour H</b>	49,90	1,7/1,9/2,1	OLS	OF+	107	93	103	hard	
5250		<b>Calibra LT Plus</b>	46,90	1,8/2,0/2,2	OLS	OF+	109	94	103	hard	
5307		<b>Magna TX II</b>	42,90	1,8/2,0/Max.	OLS	OF+	107	96	103	medium+	
4793		<b>Magna TC II</b>	41,90	1,8/2,0/Max.	OLS	OF+	106	96	103	soft+	
4795		<b>Calibra LT</b>	46,90	1,8/2,0/Max.	24	OF+	107	93	103	medium	
4210		<b>Boost TX</b>	39,90	1,8/2,0/Max.	41	OF+	104	96	100	medium	
3299		<b>Almana Sound Synergy Tech</b>	35,90	1,8/2,0/2,3	OLS	OF+	100+	95	100+	medium	
3301		<b>Neos Synergy Tech</b>	35,90	1,8/2,0/2,3	OLS	OF+	100+	94	100	medium	
<b>andro</b> 		5458	<b>Backside 2,0 D</b>	32,95	1,3/1,5/1,7/1,9/2,1	44	AR	86	102	103	medium
		5459	<b>Nightmare</b>	19,95	1,8/2,1	57	AR	82	101	100	medium
		1416	<b>Impuls</b>	32,95	1,5/1,8/2,1	46	AR+	88	95	100	soft
		6441	<b>Rasant Powersponge</b>	46,95	1,7/1,9/2,1	18	OF-	108	96	115	soft+
		5455	<b>Shifter</b>	32,95	1,3/1,5/1,7/1,9/2,1	44	AR/OF-	94	99	101	medium+
		5456	<b>Shifter Powersponge</b>	32,95	1,5/1,7/1,9/2,1	44	OF-	93	101	101	soft
		4932	<b>Hexer Powersponge</b>	43,95	1,7/1,9/2,1	26	OF-	102	100	110	soft
		1230	<b>Plasma 380</b>	39,95	1,6/1,8/2,0/Max.	48	OF-	97	99	101	soft
	3275	<b>Impuls Speed</b>	38,95	1,8/2,0/Max.	48	OF-	89	87	100+	soft	
	4394	<b>Roxon 330</b>	41,95	1,8/2,0/Max.	36	OF-	93	100	106	soft+	
	5890	<b>Impuls Powersponge</b>	40,95	1,8/2,0/2,2	36	OF-	98	100	109	soft	
	NEU 7013	<b>Rasant Grip</b>	47,95	1,7/1,9/2,1	19	OF	111	96	116	medium	
	6440	<b>Rasant Turbo</b>	47,95	1,7/1,9/2,1	18	OF	115	90	115+	hard	
	5733	<b>Rasant</b>	46,95	1,7/1,9/2,1	18	OF	109	97	112+	medium	
	5452	<b>Hexer HD</b>	44,95	1,7/1,9/2,1	26	OF	110+	95	110+	medium+	
	4939	<b>Hexer Duro</b>	38,95	1,7/1,9/2,1	49	OF	105	91	107	medium	
	4395	<b>Hexer</b>	43,95	1,7/1,9/2,1	26	OF	107	94	109	medium+	
	4396	<b>Revo Fire</b>	36,95	1,7/1,9/2,1	57	OF	101	89	102	medium	
	1229	<b>Plasma 430</b>	39,95	1,8/2,0/Max.	49	OF	104	94	103	medium	
	3925	<b>Roxon 450</b>	41,95	1,8/2,0/Max.	36	OF	108	93	106	medium-	
	NEU 7014	<b>Rasant Powergrip</b>	47,95	1,7/1,9/2,1	19	OF+	117	91	116	hard	
	4626	<b>Hexer Plus</b>	43,95	1,7/1,9/2,1	49	OF+	108	93	108	medium+	
	1228	<b>Plasma 470</b>	39,95	1,8/2,0/Max.	57	OF+	107	92	105	hard	
3924	<b>Roxon 500 Pro</b>	41,95	1,8/2,0/Max.	36	OF+	110	92	107	hard		
5457	<b>Backside 2,0 C</b>	32,95	1,1/1,3/1,5/1,7/1,9	44	DEF/AR	72	103	105	soft		
<b>YASAKA</b> 	4447	<b>Pryde 30</b>	44,90	1,8/2,0/Max.	OLS	AR+	100	95	101	soft+	
	1331	<b>Mark V GPS</b>	34,90	1,5/1,8/2,0/Max.	48	OF-	94	89	94	soft+	
	4448	<b>Pryde 40</b>	44,90	1,8/2,0/Max.	OLS	OF-	100	95	100	soft+	
	1340	<b>Mark V XS</b>	38,90	1,8/2,0/Max.	57	OF-	95	96	99	medium	
	4981	<b>Rakza 7 Soft</b>	45,90	1,8/2,0/Max.	48	OF-	100	102	108	soft	
	4620	<b>Mark V HPS Soft</b>	48,90	2,0/2,3	57	OF	102	92	105	medium	
	1335	<b>Mark V M<sup>2</sup></b>	35,90	1,8/2,0/Max.	57	OF	97	92	95	hard-	
	1332	<b>Mark V</b>	34,90	1,0/1,5/1,8/2,0/Max.	49	OF	95	90	94	medium+	
	4875	<b>Rakza 7</b>	45,90	1,8/2,0/Max.	49	OF	110	90	108	medium+	
	NEU 7332	<b>Rakza 9X</b>	48,90	1,8/2,0/Max.	OLS	OF+	113	90	113	medium+	
	6031	<b>Rakza 9</b>	46,90	1,8/2,0/Max.	57	OF+	110+	89	111	medium+	
	4619	<b>Mark V HPS</b>	48,90	2,0/2,3	OLS	OF+	105	73	102	hard	

Firma	Art.-Nr.	Belag	€	Stärke mm	Seite	Eig-nung	Tempo	Kon-trolle	Effet	Schwamm-härte	Far-ben	
<b>DONIC</b> 	6007	Liga Plus	19,90	1,8/2,0	OLS	AR	80	90	90	medium	●●	
	1306	Quattro	29,90	1,5/1,8/2,0	42	AR	93	98	98	soft	●●	
	1308	Quattro A`Conda Soft	29,90	1,2/1,5/1,8	57	AR	90	98	98	soft	●●	
	1286	Quattro A`Conda Medium	29,90	1,2/1,5/1,8/2,0	46	AR+	87	91	100	medium	●●	
	3202	Desto F3 Big Slam	35,90	1,8/2,0/Max.	40	AR/OF	97	98	102	soft	●●	
	2879	Quattro Formula	36,90	1,8/2,0/Max.	46	AR/OF	95	93	99	soft	●●	
	NEU 7203	DONIC Traction II	45,90	2,1	OLS	AR+/OF	106	96	108	soft+	●●	
	1304	Desto F3	35,90	1,8/2,0/Max.	40	OF/AR	97	97	101	soft	●●	
	6006	Bluefire M3	45,90	1,8/2,0/Max.	16	OF-	107	96	112	soft+	●●	
	1302	Coppa Tenero	34,90	1,5/1,8/2,1/Max.	48	OF-	93	90	94	soft	●●	
	4872	Coppa X3 silver	42,90	1,8/2,0/Max.	37	OF-	103	99	107	soft	●●	
	4870	Acuda S3	44,90	1,8/2,0/Max.	33	OF-	102	99	109	soft	●●	
	4444	Vario Big Slam	36,90	1,8/2,0/Max.	48	OF-	96	99	100	soft	●●	
	1347	Vario Soft	31,90	1,5/1,8/2,0/Max.	48	OF-	93	91	94	soft	●●	
	NEU 7202	Bluefire JP02	45,90	1,8/2,0/Max.	17	OF	109	95	113	medium	●●	
	6662	Bluefire JP 03	45,90	1,8/2,0/Max.	17	OF	106	97	113	soft+	●●	
	6005	Bluefire M2	45,90	1,8/2,0/Max.	16	OF	110	94	112	medium	●●	
	1346	Vario	31,90	1,2/1,5/1,8/2,0/Max.	49	OF	95	90	94	medium	●●	
	5144	Baracuda Big Slam	39,90	1,8/2,0/Max.	49	OF	106	90	109	medium-	●●	
	4869	Acuda S2	44,90	1,8/2,0/Max.	33	OF	106	95	109	medium+	●●	
	3201	Sonex JP Gold	36,90	1,8/2,0/Max.	57	OF	100	93	100	medium	●●	
	1305	Desto F2	35,90	1,8/2,0/Max.	40	OF	99	95	101	medium	●●	
	1400	Coppa	34,90	1,1/1,5/1,8/2,1/Max.	57	OF	94	90	94	medium	●●	
	4871	Coppa X2 Platin Soft	42,90	1,8/2,0/Max.	37	OF	107	95	107	medium-	●●	
	1293	Coppa Tagora	31,90	1,5/1,8/2,1/Max.	57	OF	96	91	95	soft	●●	
	NEU 7200	Bluefire M1 Turbo	48,90	1,8/2,0/Max.	16	OF+	113	91	113	hard-	●●	
	NEU 7201	Bluefire JP01 Turbo	48,90	1,8/2,0/Max.	17	OF+	112	92	114	medium+	●●	
	6661	Bluefire JP 01	45,90	1,8/2,0/Max.	17	OF+	111	93	113	medium	●●	
	6004	Bluefire M1	45,90	1,8/2,0/Max.	16	OF+	112	92	112	medium+	●●	
	5499	Acuda S1 turbo	44,90	1,8/2,0/Max.	33	OF+	110	92	110	medium+	●●	
	4773	Acuda S1	44,90	1,8/2,0/Max.	33	OF+	110	90	109	medium+	●●	
	4774	Coppa X1 Turbo Platin	42,90	1,8/2,0/Max.	37	OF+	110+	90	107	medium+	●●	
	4775	Coppa X1 Gold	42,90	1,8/2,0/Max.	37	OF+	110	92	107	medium	●●	
	1303	Desto F1	35,90	1,8/2,0/Max.	40	OF+	101	93	101	medium	●●	
	4443	Baracuda	39,90	1,8/2,0/Max.	49	OF+	108	88	109	medium	●●	
	1297	Slice 40	36,90	1,2/1,5	46	DEF	74	98	99	soft	●●	
	<b>ARMSTRONG</b>	1370	Hikari SR-7 40°	39,90	1,0/1,5/1,8/2,1	44	AR+	86	100	100	soft+	●●
		1371	Seifuku SS Conqueror 42°	39,90	1,0/1,5/1,8/2,1	47	AR/OF	94	100	98	medium-	●●
		1373	New Chopper	36,90	1,0/1,5	46	AR/DEF	70	100	98	soft-	●●
		1372	Hikari SR-7 55°	39,90	1,0/1,5/1,8/2,1	47	OF-	90	89	99	hard	●●
1374		Seifuku SS Conqueror 50°	39,90	1,5/1,8/2,1	47	OF	97	99	98	hard-	●●	
<b>TSP</b> 		5304	730	32,90	1,0/1,5/2,0	44	AR	85	102	104	medium	●●
	1453	730 - 21	32,90	1,5/2,0/Max.	44	AR+	90	100	100	medium-	●●	
	6475	Ventus Soft	36,90	1,8/2,0/Max.	25	OF-	101	97	106	soft	●●	
	5803	730 Speed Sponge	32,90	1,5/2,0/2,3	48	OF-	88	102	103	medium+	●●	
	5155	Rise	36,90	1,5/2,0/Max.	48	OF-	102	97	101	soft+	●●	
	6473	Ventus Speed	36,90	1,8/2,0/Max.	25	OF	109	93	104	medium+	●●	
	6474	Ventus Spin	36,90	1,8/2,0/Max.	25	OF	105	95	105	soft-	●●	
	5153	Agrit	39,90	1,5/2,0/Max.	49	OF	107	92	102	medium-	●●	
	5190	Rise Speed	36,90	1,5/2,0/Max.	OLS	OF	105	96	102	medium	●●	
	1448	Triple 21	32,90	1,5/2,0/Max.	OLS	OF	99	97	98	soft+	●●	
	1413	Triple Spin	32,90	1,5/2,0/Max.	57	OF	98	92	98	soft	●●	
	5189	Agrit Speed	39,90	1,5/2,0/Max.	57	OF+	109	91	103	medium+	●●	
	5306	Triple Power Chop	32,90	1,0	OLS	AR/DEF	72	105	100	medium+	●●	
	1506	Triple Spin Chop	32,90	1,0	46	DEF+	72	100	100	soft	●●	
<b>JUIC</b>	5572	Nano Spin II	36,90	1,8/2,0/Max.	OLS	OF	100	97	100	medium	●●	
	1262	Spin Spiel	31,90	1,0/1,5/2,0	46	AR-	75	99	100	medium-	●●	
	1273	Elite 999	34,90	1,0/1,5/1,8/2,0/Max.	47	AR/OF	92	100	100	medium	●●	
	1260	Driva Smash	32,90	1,0/1,5/1,8/2,0/Max.	47	OF-	96	96	96	medium	●●	
<b>TIBHAR</b> 	1386	Vari Spin	29,90	1,2/1,5/1,8/2,0/Max.	42	AR-	80	95	96	soft	●●	
	1395	Vari Spin D.TecS	32,90	1,5/1,8/2,0	57	AR	84	94	95	soft	●●	
	1388	Rapid Soft	26,90	1,6/1,8/2,0/Max.	46	AR+	94	94	97	soft	●●	
	6353	5Q Sound Power Update	46,90	1,7/1,9/2,1	27	OF-	109	93	115	soft	●●	
	5210	Aurus Sound	36,90	1,7/1,9/2,1	34	OF-	100	105	110	soft	●●	
	1394	Speedy Spin FX Premium	35,90	1,5/1,7/1,9/2,1	OLS	OF-	93	92	95	medium-	●●	
	4314	Sinus Sound	38,90	1,8/2,0/Max.	48	OF-	102	95	105	soft	●●	
	1390	Rapid	26,90	1,6/1,8/2,0/Max.	57	OF-	95	94	95	medium	●●	
	3163	Nimbus Sound	36,90	1,8/2,0/Max.	30	OF-	99	99	100+	soft	●●	
	4957	Genius Sound	41,90	1,8/2,0/Max.	48	OF-	101	100	110	soft+	●●	
	NEU 7009	5Q VIP	46,90	1,7/1,9/2,1	27	OF	113	93	112+	medium	●●	
	5814	5Q Power Update	46,90	1,7/1,9/2,1	27	OF	111	90	112	medium	●●	
	6215	Evolution FX-P	44,90	1,8/2,0/2,2	15	OF	110	95	115	soft+	●●	
	6352	1 Q Sound	46,90	1,7/1,9/2,1	27	OF	110	88	112	medium	●●	
	5209	Aurus Soft	36,90	1,7/1,9/2,1	34	OF	104	95	110	medium-	●●	
	5208	Aurus	36,90	1,7/1,9/2,1	34	OF	109	90	110	medium+	●●	
	3164	Nimbus Soft	36,90	1,8/2,0/Max.	30	OF	100+	97	100+	soft+	●●	
	1201	Nimbus	36,90	1,8/2,0/Max.	30	OF	100	93	99	medium	●●	
	4501	Genius	41,90	1,8/2,0/Max.	49	OF	105	102	94	medium	●●	
	4958	Genius Optimum Sound	41,90	1,8/2,0/Max.	47	OF	105	100	108	soft	●●	
	3779	Sinus Alpha	38,90	1,8/2,0/Max.	49	OF	105	93	103	medium-	●●	
	1385	Speedy Spin	35,90	1,0/1,3/1,5/1,7/1,9/2,1	49	OF	94	90	94	medium	●●	
	6213	Evolution MX-P	44,90	1,8/2,0/2,2	15	OF+	115	85	115+	medium+	●●	
6214	Evolution EL-P	44,90	1,8/2,0/2,2	15	OF+	112	90	115	medium	●●		
5552	1Q	46,90	1,7/1,9/2,1	27	OF+	110+	80	110	medium	●●		
4745	Genius Optimum	41,90	1,8/2,0/Max.	49	OF+	109	95	108	hard	●●		
4500	Nianmor	46,90	2,0/Max.	OLS	OF+	106	90	101	medium+	●●		
3778	Sinus	38,90	1,8/2,0/Max.	57	OF+	107	92	102	medium+	●●		
1397	Super Defense 40	35,90	0,5/0,9/1,3/1,5/1,7/1,9	42	AR/DEF	67	99	100	soft+	●●		
3783	Super Defense 40 Soft	35,90	1,3/1,6	46	DEF	65	100	100	soft-	●●		
<b>NITTAKU</b>	1405	Magic Carbon	29,90	1,3/1,6/1,8/2,0/2,2	46	OF-	94	92	94	medium	●●	

Firma	Art.-Nr.	Belag	€	Stärke mm	Seite	Eig-nung	Tempo	Kon-trolle	Effet	Schwamm-härte	Far-ben
	1489	<b>TopSpin Chopper</b>	34,90	1,2/1,5/1,8	57	AR	86	100	100	soft+	●●
	6199	<b>Rhyzm 425</b>	40,90	2,0/Max.	10	AR/OF	105	92	111	hard	●●
	6477	<b>Upp</b>	19,90	1,6/1,9/Max.	48	OF-	90	95	99	soft	●●
	6198	<b>Rhyzm 375</b>	40,90	2,0/Max.	10	OF-	101	95	111	soft	●●
	5267	<b>Samba Plus</b>	39,90	1,8/2,0/Max.	38	OF-	101	95	105	soft	●●
	1361	<b>Samba</b>	32,90	1,8/2,0/Max.	38	OF-	94	92	97	soft+	●●
	3222	<b>energy X-tra</b>	37,90	1,8/2,0/Max.	38	OF-	100	96	104	soft	●●
	NEU 6888	<b>Novic</b>	24,90	1,9/Max.	OLS	OF-/OF	97	94	103	soft	●●
	6863	<b>Maxxx 400</b>	43,90	1,8/2,0/Max.	31	OF-/OF	103	93	112	soft+	●●
	6864	<b>Maxxx 450</b>	43,90	1,8/2,0/Max.	31	OF	111	90	112	medium	●●
	4765	<b>X-Plode Sensitive</b>	42,90	1,8/2,0/Max.	38	OF	105	90	109	medium+	●●
	2787	<b>energy</b>	38,90	1,8/2,0/Max.	38	OF	102	92	103	medium	●●
	1363	<b>Mambo</b>	32,90	1,5/1,8/2,1/Max.	OLS	OF	95	90	97	medium-	●●
	NEU 7289	<b>Maxxx-P</b>	48,90	2,0/Max.	31	OF	113	90	114	soft/medium	●●
	NEU 7288	<b>Rhyzm-P</b>	48,90	2,0/Max.	10	OF+	115	88	115	medium+	●●
	6865	<b>Maxxx 500</b>	43,90	2,0/Max.	31	OF+	118	83	112	hard	●●
	5656	<b>Rhyzm</b>	40,90	2,0/Max.	10	OF+	114	87	111	hard	●●
	4193	<b>X-Plode</b>	42,90	1,8/2,0/Max.	38	OF+	109	90	109	hard	●●
	<b>DR. NEUBAUER</b>	1278	<b>Domination</b>	39,00	1,2/1,5/1,8/2,1	46	AR+	90	90	96	medium
3926		<b>Special Defence</b>	39,00	1,0/1,2/1,5	46	DEF	74	100	96	medium-	●●
<b>DOUBLE HAPPINESS</b>	1402	<b>PF4</b>	18,90	1,6/2,1	58	OF/AR	90	85	92	hard	●●
	4586	<b>Neo Hurricane 3</b>	31,90	2,1	58	OF-	96	94	99	medium	●●
	1256	<b>Hurricane 3</b>	27,90	1,8/2,0/2,2	58	OF-	96	94	99	hard-	●●
	1500	<b>G 666</b>	26,90	1,8/2,1	58	OF-	93	96	100	medium	●●
	6918	<b>Gold Arc 3</b>	49,90	2,0/2,2	58	OF	109	79	111	hard	●●
	4587	<b>Neo Skyline 2</b>	34,90	2,1	58	OF	103	98	104	medium	●●
	5569	<b>Tin ARC 3</b>	46,90	2,1	OLS	OF	106	93	107	medium+	●●
	5568	<b>Tin ARC</b>	46,90	2,1	OLS	OF+	107	92	108	medium+	●●
<b>VICTAS</b>	NEU 7093	<b>VS &gt; 402 Limber</b>	42,90	1,8/2,0/Max.	32	AR+	92	103	105	soft	●●
	6310	<b>VS &gt; 401</b>	42,90	1,5/1,8/2,0	32	AR	86	105	105	medium	●●
	NEU 7092	<b>VS &gt; 402 Double Extra</b>	42,90	1,8/2,0/Max.	32	OF-	96	101	105	hard	●●
	6308	<b>V &gt; 01 Limber</b>	44,90	1,8/2,0/Max.	14	OF	110	93	107	soft-	●●
	6309	<b>V &gt; 01 Stiff</b>	44,90	1,8/2,0/Max.	14	OF	112	91	107	medium+	●●
	6307	<b>V &gt; 01</b>	44,90	1,8/2,0/Max.	14	OF+	114	91	105	medium-	●●
	6030	<b>Musa</b>	29,90	1,5/1,8/2,0/Max.	46	AR+	92	96	105	medium-	●●
	5015	<b>Vega Elite</b>	35,90	1,8/2,0/Max.	48	OF-	98	99	108	soft+	●●
	5497	<b>Sigma Europe</b>	47,90	1,8/2,0/Max.	48	OF-	105	95	105	hard	●●
	4883	<b>Vega Europe</b>	35,90	1,8/2,0/Max.	22	OF-	100	97	109	medium+	●●
	5336	<b>Omega IV Elite</b>	46,90	1,8/2,0/Max.	48	OF-	100	97	109	soft	●●
	NEU 7119	<b>Omega V Europe</b>	49,90	2,0/Max.	35	OF	111	93	108	medium	●●
	6029	<b>Vega Japan</b>	39,90	1,8/2,0/Max.	22	OF	105	89	112	medium	●●
	6705	<b>Omega V Tour</b>	49,90	2,0/Max.	35	OF	113	84	112	hard	●●
	4881	<b>Vega Pro</b>	35,90	1,8/2,0/Max.	22	OF	105	90	107	hard	●●
	5091	<b>Omega IV Pro</b>	46,90	2,0/Max.	35	OF+	103	80	110	hard	●●
	4893	<b>Omega IV Europe</b>	46,90	1,8/2,0/Max.	35	OF+	108	92	109	medium	●●
	5496	<b>Sigma Pro</b>	47,90	1,8/2,0/Max.	57	OF+	110	89	110	hard	●●
	4892	<b>Omega IV Asia</b>	46,90	2,0/Max.	OLS	OF+	109	82	110	hard	●●
	4882	<b>Vega Asia</b>	35,90	2,0/Max.	57	OF+	108	85	106	hard	●●
	<b>adidas</b> 	4991	<b>R4</b>	36,95	1,8/2,0/Max.	28	AR+	98	99	102	medium-
NEU 7031		<b>TenZone Ultra SF</b>	47,95	1,8/2,0/Max.	23	OF	111	97	113	soft	●●
5898		<b>P7</b>	42,95	1,8/2,0/Max.	28	OF	106	95	110+	medium+	●●
5510		<b>TenZone SF</b>	46,95	1,8/2,0/Max.	23	OF	107	95	110	medium	●●
4983		<b>P3</b>	42,95	1,8/2,0/Max.	28	OF	106	95	109	medium	●●
4992		<b>R6</b>	36,95	1,8/2,0/Max.	28	OF-	99	97	101	soft	●●
6663		<b>TenZone Ultra</b>	47,95	1,8/2,0/Max.	23	OF+	111	87	114	medium+	●●
5511		<b>TenZone</b>	46,95	1,8/2,0/Max.	23	OF+	110+	90	110	medium+	●●
<b>SAUER &amp; TRÖGER</b>	4984	<b>P5</b>	42,95	1,8/2,0/Max.	28	OF+	110	90	109	medium	●●
	NEU 7005	<b>Secret Flow</b>	29,90	1,5/1,8/2,1	42	DEF/AR	84	97	100+	soft+	●●
<b>FRIENDSHIP</b>	1401	<b>RITC 729 Super FX</b>	9,90*	1,5/2,0	58	AR	80	89	93	medium-	●●
	1450	<b>RITC 2000</b>	11,90*	1,5/2,0	58	AR/OF	93	89	91	medium+	●●
<b>CHINA-Beläge</b>	5665	<b>MILKY WAY Moon Medium</b>	18,90*	1,9/2,1	OLS	AR	95	85	94	medium	●●
	4131	<b>PALIO CJ 8000 Spin</b>	13,90*	1,5/1,8/2,1	58	OF-	89	92	98	hard	●●
	6869	<b>MILKY WAY Apollo III Sound 29°</b>	22,90	1,5/1,7/1,9/2,1	OLS	OF-	86	89	82	soft	●●
	5664	<b>MILKY WAY Moon Soft</b>	18,90*	1,7/1,9/2,1	58	OF-	89	90	94	soft	●●
	5683	<b>GIANT DRAGON SUPERSPIN G4 M38</b>	19,90	1,8/2,0/2,2	OLS	OF	90	84	94	soft	●●
	5682	<b>GIANT DRAGON SUPERSPIN G4 S32</b>	19,90*	1,8/2,0/2,2	58	OF	90	88	95	soft	●●
<b>ANTI-TOP Beläge</b> 	5652	<b>GIANT DRAGON Submarine</b>	13,90*	1,0/1,5/1,8/2,0	58	DEF	69	97	97	medium	●●
	NEU 7233	<b>MATERIALSPEZIALIST Spinparasite</b>	52,90	1,0/1,5	56	DEF	45	95	100	soft	●●
	1478	<b>ARMSTRONG New Anti Spin</b>	39,90	1,5/1,8/2,1	56	DEF/AR	75	90	55	soft	●●
	6131	<b>MATERIALSPEZIALIST Beast Anti</b>	52,90	1,2/1,5	56	DEF/AR	40	95	40	medium	●●
	5602	<b>MATERIALSPEZIALIST Nightmare</b>	52,90	1,2/1,5	56	DEF/AR	50	90	100	medium+	●●
	5500	<b>DONIC Anti Classic</b>	35,90	1,5/2,0	OLS	DEF	66	96	39	soft	●●
	5357	<b>DONIC Alligator Anti</b>	28,90	1,0/1,5	56	AR/DEF	77	92	25	hard	●●
	4176	<b>DR. NEUBAUER Anti Special</b>	46,00	1,2/1,5/1,8	OLS	DEF/AR	65	85	30	medium	●●
	4402	<b>DR. NEUBAUER A-B-S</b>	46,00	1,2/1,5/1,8	52	DEF/AR	60	85	25	medium	●●
	4618	<b>DR. NEUBAUER Grizzly A-B-S</b>	46,00	1,2/1,5/1,8	OLS	DEF	67	85	95	medium	●●
	3972	<b>HALLMARK Mirage</b>	39,90	1,0/2,0	OLS	DEF/AR	50	100	40	medium	●●
	1364	<b>JOOLA Toni Hold Anti Top</b>	49,90	1,5/2,5	56	DEF	44	95	35	soft	●●
	1271	<b>JUIC Neo Anti</b>	32,90	1,0/1,5/2,0	56	DEF/AR	63	100	36	soft	●●
	1434	<b>NITTAKU Best Anti</b>	31,90	1,3/2,0	OLS	DEF/AR	67	95	39	medium	●●
	1327	<b>STIGA Energy Absorber</b>	25,90	1,6/2,0	56	DEF/OF	65	99	41	medium-	●●
	1257	<b>TONI HOLD Anti Top Spin 40</b>	54,90	0X/1,0/1,5	56	DEF	45	90	37	soft	●●
	1337	<b>YASAKA Anti Power</b>	32,90	2,0	56	DEF/OF	65	95	39	soft	●●

Firma	Art.-Nr.	Belag	€	Stärke mm	Seite	Eig-nung	Tempo	Kon-trolle	Effet	Schwamm-härte	Far-ben
<b>KURZE Noppe</b> 	5896	adidas Blaze Spin	39,95	1,8/2,0/Max.	54	OF	105	92	110	soft	●●
	5897	adidas Blaze Speed	39,95	1,8/2,0/Max.	OLS	OF	107	90	106	soft	●●
	1479	ARMSTRONG Rosin	36,90	1,5/1,8/2,0	55	OF-	91	90	81	soft	●●
	1375	ARMSTRONG Attack 3 M	36,90	OX/1,0/1,5/2,0	55	OF/AR	83	100	90	medium-	●●
	5453	andro Hexer Pips 0°/90°	43,95	1,7/1,9/2,1	OLS	OF	105/103	83/85	87/89	medium	●●
	5454	andro Hexer Pips+ 0°/90°	43,95	1,7/1,9/2,1	OLS	OF	106/104	81/83	86/83	medium	●●
	5891	andro Hexer Pips Force 0° / 90°	43,95	1,7/1,9/2,1	OLS	OF	108/107	80/81	87/89	medium	●●
	4397	andro Blowfish	36,95	1,8/2,0/Max.	54	OF	106	80	83	soft	●●
	4398	andro Blowfish plus	36,95	1,8/2,0/Max.	OLS	OF	108	77	81	medium	●●
	4440	DONIC Baxster LB	36,90	1,5/1,8/2,0	OLS	OF/AR	92	97	80	medium-	●●
	6654	DR. NEUBAUER Killer	36,00	1,5/1,8/2,0/Max.	55	OF	94	94	80	medium	●●
	5820	DR. NEUBAUER Terminator	36,00	OX	54	DEF/AR	84	76	81	-	●●
	3213	DR. NEUBAUER Diamant	36,00	OX/1,2/1,5/1,8/2,1	54	AR	90	78	76	medium	●●
	1277	DR. NEUBAUER Leopard	36,00	OX/1,0/1,5/2,0	54	OF-	86	80	82	medium-	●●
	1276	DR. NEUBAUER Tornado ultra	36,00	1,5/2,0	54	OF	102	76	86	medium-	●●
	2768	DR. NEUBAUER Pistol	36,00	1,0/1,6/2,0	55	OF	100+	90	78	soft-	●●
	5132	FRIENDSHIP 802-40 SOFT	14,90*	OX/1,5/1,8/2,0/2,2	59	AR	85	90	85	soft	●●
	1283	FRIENDSHIP RITC 802	13,90*	1,5/2,0	59	AR	94	81	85	medium+	●●
	1284	FRIENDSHIP RITC 563-1	14,90*	1,5/2,0	59	AR	88	88	70	medium+	●●
	1267	JUIC Offense	31,90	1,0/1,5/2,0	55	OF/AR	93	100	90	medium-	●●
	1324	STIGA Clippa	25,90	1,5/1,8/2,0	OLS	AR	85	95	78	medium	●●
	1316	STIGA Radical	29,90	1,8/2,0/2,2	OLS	OF	90	95	89	medium-	●●
	1392	TIBHAR Speedy Soft	32,90	1,0/1,5/2,0	54	AR	89	90	75	medium	●●
	1383	TIBHAR Speedy Soft D.TecS	36,90	1,5/2,0	54	OF	100	83	79	soft	●●
	3329	TSP Super Spinpips Chop	35,90	1,0/1,5	OLS	AR+	85	88	75	soft	●●
	2655	TSP Super Spinpips	35,90	1,0/1,5/2,0/Max.	54	OF	94	92	78	medium-	●●
	2654	TSP Super Spinpips 21	35,90	1,0/1,5/2,0/Max.	OLS	OF	97	88	80	soft+	●●
	5010	TSP Spectol Speed Sponge	35,90	1,0/1,8/Max.	54	OF+	102	87	80	hard	●●
	1477	TSP Spectol	35,90	1,0/1,5/1,8/Max.	55	OF	96	80	80	medium-	●●
	1446	TSP Spectol 21	35,90	1,5/1,8/Max.	OLS	OF	97	85	85	soft+	●●
	1414	TSP Tyranno	35,90	1,5/2,0/Max.	OLS	OF+	95	90	90	soft	●●
	6312	VICTAS V0 > 101	39,90	1,6/1,8/2,0/Max.	54	OF	108	86	88	soft+	●●
	6311	VICTAS V0 > 102	39,90	1,8/2,0/2,3	54	OF	104	90	90	soft+	●●
	<b>LANGE Noppen</b> 	4399	andro Chaos	39,95	OX/1,2	51	DEF	61	89	87	medium
1480		ARMSTRONG Twister	36,90	OX/1,0/1,5	51	AR/DEF	58	72	72	soft	●●
5672		BOMB Talent	12,90*	OX	59	DEF	40	89	75	-	●●
5018		DAWEI Saviga V	14,90*	OX/0,5/1,0	59	DEF/AR	55	85	65	medium	●●
5017		DAWEI 388 D-1	13,90*	OX/0,5/1,0	50	DEF/AR	57	93	60	medium	●●
4441		DONIC Twister LB	36,90	1,2/1,5/2,0	OLS	DEF+	72	95	90	medium	●●
3999		DONIC Alligator DEF	32,90	OX/0,5/1,0	50	DEF	35	78	63	medium+	●●
1287		DONIC Piranja Formula Tec	36,90	OX/1,2	50	DEF/AR	58	65	74	soft	●●
3954		DONIC Akkadi L2	28,90	OX/0,6/1,0	OLS	DEF	70	70	72	medium	●●
NEU 7232		DER MATERIALSPEZIALIST Predator	40,90	OX/1,0	50	DEF	45	92	96	medium	●●
NEU 6998		DER MATERIALSPEZIALIST L.S.D.	40,90	OX/1,0	50	DEF	50	90	98	soft	●●
NEU 6996		DER MATERIALSPEZIALIST Undertaker	40,90	OX/1,0	50	DEF	35	95	95	medium	●●
6653		DR. NEUBAUER Allround Premium	36,00	OX/0,6/1,0/1,3	52	AR	55	85	85	medium	●●
NEU 7252		DR. NEUBAUER Number 1	36,00	OX/0,6/1,0	52	DEF	55	87	80	soft	●●
5340		DR. NEUBAUER Inferno Classic	36,00	OX/0,6/1,0	OLS	DEF	58	85	75	soft+	●●
4862		DR. NEUBAUER Fighter	29,90	OX/1,2	OLS	DEF+	60	89	60	medium	●●
3968		DR. NEUBAUER Boomerang Classic	36,00	OX/0,6/1,0	52	DEF	50	91	68	medium-	●●
5819		DR. NEUBAUER Desperado	36,00	OX/0,6/1,0	52	DEF/AR	55	83	81	soft	●●
3967		DR. NEUBAUER Monster Classic	36,00	1,0/1,6/2,0	OLS	AR	75	85	65	soft-	●●
1501		DOUBLE HAPPINESS Cloud&Fog 3	26,90	OX/1,0	59	DEF	61	65	80	medium	●●
1483		DOUBLE HAPPINESS C7	24,90	1,2	59	DEF	70	60	55	medium	●●
1451		FRIENDSHIP RITC 755	9,90*	OX/1,0	59	DEF	64	68	64	medium	●●
1282		FRIENDSHIP RITC 837	14,90*	OX/1,0	59	DEF/AR	69	65	68	medium	●●
6254		GIANT DRAGON Snowflake	19,90*	OX/0,9	OLS	DEF	55	89	70	medium	●●
5334		GIANT DRAGON Talon	24,90*	OX/0,9/1,5	50	DEF	67	80	60	medium -	●●
5312		HALLMARK Friction Special 2	46,90	OX/0,5	OLS	DEF	60	95	69	-	●●
1251		HALLMARK Frustration	44,90	OX/1,0/1,5/2,0	50	AR/DEF	85	90	50	medium	●●
2625		HALLMARK Panther	34,90	OX/1,0/1,5/2,0	OLS	AR/DEF	93	96	68	medium	●●
3971		HALLMARK Phoenix	39,90	OX/1,0/2,0	50	DEF	75	96	45	medium-	●●
5020		JAP TEC DL 01	14,90*	OX/0,5/1,0	50	DEF/AR	65	70	85	medium	●●
1494		JOOLA Badman Reloaded	42,90	OX/1,3	51	DEF/AR	74	74	86	medium	●●
5667		MILKY WAY Neptune	13,90*	OX/0,5/1,0	59	DEF	50	90	70	medium	●●
5668		MILKY WAY Neptune Soft	14,90*	OX/0,5/1,0	59	DEF	46	97	70	soft	●●
4130		PALIO CK 531A	13,90*	OX/1,0	59	AR-	70	72	69	medium-	●●
6655		SAUER & TRÖGER Hellfire	36,90	OX/0,9	51	DEF/AR	40	95	80	medium	●●
6904		SAUER & TRÖGER Hellfire Spezial	46,90	OX	51	DEF/AR	35	100	100	-	●●
1330		STIGA Destroyer	26,90	OX/1,0/1,5	50	DEF	59	57	65	medium	●●
1387		TIBHAR Grass D.TecS	36,90	OX/1,2/1,6	51	AR/DEF	45	85	95	soft+	●●
5072		TIBHAR Grass D.TecS Spezial	46,90	OX	51	DEF/AR	50	80	95	-	●●
3782		TIBHAR Grass ultra	34,90	OX/0,5/1,0/1,5	OLS	DEF	54	85	95	soft	●●
5679		TSP Curl P-4	36,90	OX/0,5/1,0/1,5	53	DEF	53	95	84	soft	●●
3937		TSP Milli Tall II	29,90	OX/0,7/1,0/1,5	OLS	AR+	79	101	75	medium	●●
4323		TSP Curl P-H	36,90	OX/0,5/1,0/1,5	53	DEF+	66	89	76	soft	●●
1437		TSP Curl P1 R	36,90	OX/0,5/1,0/1,5	53	DEF	54	80	81	soft	●●
1438		TSP Curl P2	36,90	0,5/1,0/1,5	53	DEF+	60	85	68	soft	●●
1435		TSP Curl P3 alpha R	36,90	OX/0,5/1,0/1,5	53	DEF	55	85	79	soft	●●
<b>Noppen-Gummi</b>		2608	andro Classic	21,95	ohne Schwamm (OX)	57	DEF	52	83	-	●●